

## AMENDMENT TO THE CLAIMS

Please amend claims 1, 4-8, 10, 12, 14, and 16-18 to read as follows:

1. (Currently Amended) A wireless phone configured for use by a user and configured to communicate with a server over a network, the server being configured to communicate with a plurality of wireless phones and comprising a plurality of outgoing call queues, each outgoing call queue of the plurality of outgoing call queues comprising a list of entries to dial and being associated with a unique call queue identifier that associates the outgoing call queue with a particular wireless phone of the plurality of wireless phones or user thereof, the wireless phone comprising:

a memory;

a processor;

a call queue function, ~~the call queue function configured~~ to enable the configuration of an a predefined outgoing call queue of the plurality of outgoing call queues, the outgoing call queue being the outgoing call queue having the unique call queue identifier associated with the particular wireless phone or user thereof stored in a server accessible over a network, the predefined outgoing call queue comprising an ordered list of entries to dial; and

a queue dial function which, when operated, cooperates with the server to result in a dialing of a first entry of the ~~predefined outgoing call queue~~ associated with the particular wireless phone, wherein the predefined outgoing call queue is associated with a call queue identifier, and wherein the queue dial function is configured to direct the processor to send the call queue identifier to the server, and the server is configured to use the call queue identifier is used to locate the predefined outgoing call queue associated with the particular wireless phone from among the plurality of outgoing call queues and to establish an association between the predefined outgoing call queue and the processor, and wherein the processor and the memory cooperate to enable the call queue function.

2-3. (Canceled)

4. (Currently Amended) The phone of claim 1 further comprising:  
the queue dial function which, when operated once, results in dialing all  
entries of the ~~predefined~~-outgoing call queue in the order of the ~~ordered~~-list.

5. (Currently Amended) The phone of claim 1 further comprising:  
an address book function to enable the configuration and storage of an  
address book in the memory, the address book comprising a collection of at least one  
names and associated dialable numbers; and  
the queue dial function to cooperate with the address book to locate a  
dialable number associated with a name in the ~~predefined~~-outgoing call queue.

6. (Currently Amended) A communication system of a communication  
service provider, comprising:

a first computer system, comprising:

a ~~predefined~~-plurality of call queues each associated with a call queue  
identifier identifying for a wireless device associated with the call queue; the predefined  
call queue, each call queue comprising one or more numbers to dial, ~~wherein the  
predefined call queue is associated with a call queue identifier, and wherein the call  
queue identifier is used to identify the wireless device and to establish an association  
between the predefined call queue and the wireless device;~~

a queue selection function configured to receive a call queue identifier  
from a wireless device and use the call queue identifier to locate a call queue  
associated with the wireless device from among the plurality call queues; and

a queue management function configured to provide a next number to dial  
from the ~~predefined~~-located call queue in response to receipt of a queue dial request  
from the wireless device.

7. (Currently Amended) The communication system of claim 6 further comprising:

a user database, the user database comprising the plurality of predefined call queues.

8. (Currently Amended) The communication system of claim 6 further comprising:

a second computer system configured to receive queue entries from a client device; and

~~the second computer system to~~ communicate the queue entries to the first computer system.

9. (Previously Presented) The communication system of claim 8 wherein the second computer system comprises an Internet server.

10. (Currently Amended) The communication system of claim 6 wherein the queue management function removes the next number to dial from the ~~predefined~~ located call queue as a result of providing the number.

11. (Original) The communication system of claim 6 further comprising:  
a mobile switching center to receive the next number from the first computer system and to connect a call to the next number with the wireless device.

12. (Currently Amended) The communication system of claim 6 further comprising:

the queue management function to provide each number of the ~~predefined~~ located call queue in a dial order, in response to receipt of the queue dial request from the wireless device.

13. (Original) The communication system of claim 12, wherein the dial order is provided from the wireless device.

14. (Currently Amended) The communication system of claim 12 wherein the dial order is one of the order and the reverse order of an order in which the located call queue numbers were specified by the wireless device.

15. (Canceled)

16. (Currently Amended) The wireless phone of claim 1, further comprising a plurality of buttons, wherein the queue dial function is operated by a single button of the plurality of buttons ~~wireless communication device~~.

17. (Currently Amended) The wireless phone of claim 1 wherein the queue dial function is operated by speaking a queue dial command to the wireless ~~phone~~ ~~communication device~~.

18. (Currently Amended) A method comprising:  
locating a ~~predefined~~ call queue from among a plurality of call queues ~~according using to~~ a queue identifier;

dialing a first number of the ~~predefined~~ located call queue in response to an operation of a queue dial function in a wireless communication device;

initiating a live communication between a user of the wireless communication device and a user of a device associated with the first number of the located call queue;

dialing a next number of the ~~predefined~~ located call queue in response to the operation of the queue dial function;

removing the first number from the ~~predefined~~ call queue as a result of dialing the first number; and

removing the next number from the predefined-call queue as a result of dialing the next number. |

19-23 (Canceled)

24. (Previously Presented) One or more computer-readable media having computer-executable instructions for performing the method of claim 18.